

**Environmental Product Declaration** 

# Artis zee / Artis zeego

**Product Families** 

### Progress that is Impressive -**Ecological Advantages of Artis zee** Low-dose imaging protocols for interventional procedures with up to 67 % dose saving\* • Dose awareness information for physicians and nurses is available in every user manual Stand-by mode available for Artis Large Display option to save energy by up to 92 % when not in use\*\* All substances contained in the product and its packaging are documented Plastic parts are labeled for recycling • Disassembly instructions for high-quality recycling are available • Artis zee systems fulfill the EU-directive RoHS 2011/65/EU. • Complete Artis zee systems and their components are taken back and refurbished Product take-back according to strict EU directives • More than 95 % of the materials used can be returned to the flow of recyclable materials • Environmental product declaration is available for download via internet www.siemens.com/healthcare-ehs Compared to standard dose settings Compared to Artis Large Display in operation mode

### Dose Reduction Advances in Interventional Radiology/ Interventional Cardiology and Surgery

Low-dose examination protocols with Artis zee/zeego systems are state of the art. They require the most modern imaging systems in order to perform online image processing for each and every fluoroscopy pulse and frame acquired in Digital Subtracted Angiography and Digital Radiography.

Improvements in the IT performance of modern imaging systems together with intelligent algorithms for noise reduction and signal boost methods have resulted in a balanced visualization of fine vessels in low-dose imaging in fluoroscopy, DSA and cardiac imaging in the latest generation of Artis zee/zeego systems.



## Artis zee There's so much more to zee.

The field of interventional imaging and minimal-invasive therapy has never been more demanding. To enhance patient outcomes and remain on the cutting edge, radiologists, cardiologists and surgeons need a system that enables them to care with greater speed, efficiency, and precision.

#### CARE+CLEAR

Reducing dose in interventional procedures is increasingly important for both patients and clinical staff.

In many cases, however, image quality is the key to successful procedures.

Everything in life should be well balanced. We can support you in attaining a balance for your patients, you and your staff – with a perfect interplay of the optimal image quality and the lowest reasonable dose.

The advantages are clear:

- Reduced radiation dose for your patients, you and your staff
- Optimized image contrast and sharpness without increasing dose
- Efficient and transparent dose monitoring, reporting, and documentation
- CARE+CLEAR portfolio comes standard with every Artis system

#### **Environmental Management System**

Our environmental, health and safety management system conforms to ISO 14001 and helps us put our policy into practice.

You can find further information about our environmental, health and safety management system at www.siemens.com/healthcare-ehs.

#### **Environmental Product Design**



Material supply: From natural resources to delivery of semi-finished products



Production/delivery: From production of components to operation startup by the customer



Use/maintenance: Includes daily use by our customers as well as maintenance



End of life: From disassembly at the customer through material and energy recycling Siemens considers environmental aspects in all phases of the product life cycle, including material supply, production/delivery, use/maintenance and end of life.


Our product design procedure fulfills the requirements of IEC 60601-1-9 "Environmental product design for medical electrical equipment".

This standard supports the effort to improve the environmental performance of our products.

#### **Reduction of Critical Substances**

Siemens has made strides to reduce materials in our Artis zee system which are environmentally harmful and are not easily recyclable. An example of this is a recent improvement in our X-ray tube manufacturing in which Siemens has eliminated the use of beryllium (Be 4). Beryllium is a toxic metal to organic tissue.

Siemens has made very good progress in reducing non-recyclable materials. We are continually making improvements to reduce the environmental impact of Siemens products.



#### **Cumulative Energy Demand**

Energy consumption is the most important environmental characteristic of medical devices. This is why we use Cumulative Energy Demand to assess environmental performance. Cumulative Energy Demand is the total primary energy\* that is necessary to produce, use and dispose of a device – including all transportation.

Our medical devices can be recycled almost completely for materials or energy. With an appropriate end of life treatment it is possible to return 27 MWh in the form of secondary raw materials or thermal energy to the economic cycle.

\* Primary energy is the energy contained in natural resources prior to undergoing any man-made conversions (e.g. oil, solar).

#### **Packaging**

Our angiography systems are shipped in "open packaging" within Europe and to the USA. We use "open packaging" for more than 65 % of our shipments. The individual parts of a delivery need only be wrapped in dust protective covers. In turn, they are loaded in a special transport frame, which travels from the supplier to the end-customer and is then returned for reuse. We use "closed packaging" only for tropical countries or countries where the law so requires. The wooden crates or sealed packaging can then be used for material, or to some extent, thermal recycling. Values listed on the right represent average values from these two types of packaging.

#### **Total Weight**


Open packaging approx. 1,070 kg Closed packaging approx. 2,010 kg

#### **Product Take Back**

Most of the materials used to produce Artis zee products are recyclable. 96 % of material (by weight) and 4 % of the energy value can be recycled.

The high-performance X-ray tube assemblies are designed so that as many parts as possible may be re-used. At the end of their life cycle the tube assemblies are returned and refurbished. Quality is guaranteed by compliance to standard IEC 62309. Under optimal conditions up to 40% of a tube assembly may consist of reused parts.

Our product disposal program ensures that we address the environmental aspects of our products – even the end of the product life cycle. As part of this program, we refurbish systems and reuse components and replacement parts whenever possible through our Refurbished Systems business. We reuse components and subsystems for non-medical products. We also recycle for material or energy value. Disassembly instructions for disposal and recycling are available for our products.



Operating Data	
Heat emissions of the device	
– typical load¹	3 kW
- acquisition (max)	8.1 kW
Allowed ambient temperature <sup>3</sup>	15 °C to 30 °C
Allowed relative humidity	20 % to 75 %
Power consumption:	
– stand-by¹	2.9 kW
– full load²	6.75 kW
– maximum load	80 kW
Power-on time⁴	ca. 4 min.
Power-off time <sup>5</sup>	ca. 1.5 min.

<sup>1</sup> Device is in operation but no patient examination is taking place

<sup>&</sup>lt;sup>5</sup> From operating state to off-mode

Technical Specifications	
Interface for heat recovery	no
Possible type of cooling	watercooling
Complete switch-off is possible	no
Device is adjustable for the user in terms of height	yes
Uniform operating symbols for device families	yes

Radiation	
Measures/technics to minimize ionizing radiation exposure	yes
Measures/techniques to minimize the exposure to electromagnetic radiation	n.a.
Minimization compared to the limit value for users	yes

With the Artis Large Display option that is available for all Artis zee systems, Siemens achieves a significant reduction in energy consumption when the display is in stand-by mode. Up to 459 watts can be saved when stand-by mode is activated.



<sup>&</sup>lt;sup>2</sup> Average value at examination of patients (abdomen routine mode)

<sup>&</sup>lt;sup>3</sup> Within examination room

<sup>&</sup>lt;sup>4</sup> From off-mode to operating state



Replacement Parts and Consumables	
Item	Life cycle
X-ray tube	30 months warranty (with respect to load conditions)
UPS battery	12 months

Disposal / Substance Information	
End of life concept	yes
Recycling information	yes
List of hazardous substances (not contained in the device)	yes

## Cleaning\*

#### Incompatible cleaning processes

– total device no – restrictions for particular yes device components

#### List of incompatible substance classes

– total device For cleaning use only water or lukewarm diluted household

cleaning agent solution

– restrictions for particular yes device components

Suitability of the device for yes sterile areas

Size of the surface to be cleaned\*\* approx. 5 m<sup>2</sup>

#### **Further Ecologically Relevant Information\***

Elements of instruction are:

- recommendations for saving energy yes

- recommendations for efficient cleaning

yes

- recommendations for appropriate

use of consumables

yes

<sup>\*\*</sup> C-arm and C-stand, patient table, control console, monitor suspension

<sup>\*</sup> More detailed information available in the user manual.

On account of certain regional limitations of sales rights and service availability, we cannot guarantee that all products included in this brochure are available through the Siemens sales organization worldwide. Availability and packaging may vary by country and are subject to change without prior notice.

Some/All of the features and products described herein may not be available in the United States or other countries.

The information in this document contains general technical descriptions of specifications and options as well as standard and optional features that do not always have to be present in individual cases.

Siemens reserves the right to modify the design, packaging, specifications and options described herein without prior notice. Please contact your local Siemens sales representative for the most current information. In the interest of complying with legal requirements concerning the environmental compatibility of our products (protection of natural resources and waste conservation), we recycle certain components. Using the same extensive quality assurance measures as for factorynew components, we guarantee the quality of these recycled components.

Note: Any technical data contained in this document may vary within defined tolerances. Original images always lose a certain amount of detail when reproduced.

Caution: Federal law restricts this device to sale by or on the order of a physician.

Siemens Healthcare Headquarters Siemens Healthcare GmbH Henkestr. 127 91052 Erlangen

Germany Phone +49 9131 84-0 siemens.com/healthcare Legal Manufacturer Siemens Healthcare GmbH Henkestr. 127 91052 Erlangen Germany

Order No. A91AX-81104-11C4-7600 | Printed in Germany | HC AT 0616pdf | © Siemens Healthcare GmbH 2016