

# **Technical Specifications**

# **Atellica Direct Load**



The Atellica® Direct Load is the sample-handling unit for a single Atellica® Solution immunoassay or clinical chemistry analyzer. The Atellica Direct Load provides input/output of samples, calibrators, and quality-control (QC) samples.

Sample-handling component for a single Atellica Solution immunoassay or clinical chemistry analyzer,

## **Product Specifications**

Description

Configurations	Provides sample handling for a single analyzer			
Sample Handling				
Sample Throughput	Up to 250 tubes per hour			
Sample Capacity	60 samples using 10 six-position racks			
Primary-tube Sampling	Yes, for validated container types			
Supported Tubes	12 x 75 to 16 x 100 (list of validated containers available upon request)			

providing input/output of samples, calibrators, and QC samples

## **User Interface/Data Management**

Monitor	22-inch touchscreen monitor	
Operating System	MICROSOFT WINDOWS EMBEDDED STANDARD	
System Documentation	Operator's Guide, Quick Guide, and Online Help	
Data Storage	Up to 1 million results: 500,000 active and 500,000 historical; can archive to removable media	
Host Interface	TCP/IP bidirectional—Ethernet	
Host Query	TCP/IP—ASTM, IHE LAW-certified HL7 interface; system requests work order or batch of work orders from host	
Remote Access and Service	Smart Remote Services via 1000BASE-T Ethernet port	

#### siemens-healthineers.com/atellicasolution



# **Atellica Portfolio of Laboratory Products**

# Engineered by Siemens Healthineers to deliver control and simplicity so you can drive better outcomes.

Tighter control of your lab, simplified workflow, and more time to focus on driving better business and clinical outcomes—that's the promise of our Atellica® portfolio of laboratory products.

# Control. Simplicity. Better Outcomes.

#### Maintenance

Daily	Automated: <3 minutes; hands-on: 0 minutes
Monthly	Hands-on (clean the air filter): 5 minutes
Database Maintenance	Automated: 5–30 minutes*
Onboard Maintenance Logs	Schedule and monitor routine maintenance activities via software

#### General Specifications

General Specifications	
Power Requirements	Provided by analyzer: 220–240 VAC ±10%, 50/60 Hz
Water Requirements	None
Drain Requirements	None
Dimensions	Without monitor: 136 (h) x 42.5 (w) x 110 (d) cm; 53.5 (h) x 16.7 (w) x 43.3 (d) inches
Weight	141.7 kg (312 lb)
Compliance	Complies with international environmental, health, and safety standards, including CE and RoHS
Noise Emission	Average sound pressure level (when connected to Atellica® Immunoassay Analyzer): 65 dBA Average sound pressure level (when connected to Atellica® Chemistry Analyzer): 50 dBA
Processing Heat Output	1024 BTU/hour
Ambient Temperature	18–30°C (64–86°F)
Ambient Humidity	20-80% noncondensing
Altitude	0-2000 m (0-6562 feet)
Floor Load-bearing Requirement	254 kg/m²
Overvoltage Classification	Category II
Removable Media	USB
Compressed Air	None

<sup>\*</sup>Activities can be scheduled and are dependent on size and frequency of performance of activities.

At Siemens Healthineers, our purpose is to enable healthcare providers to increase value by empowering them on their journey toward expanding precision medicine, transforming care delivery, and improving patient experience, all made possible by digitalizing healthcare.

An estimated 5 million patients globally benefit every day from our innovative technologies and services in the areas of diagnostic and therapeutic imaging, laboratory diagnostics, and molecular medicine, as well as digital health and enterprise services.

We are a leading medical technology company with over 120 years of experience and 18,000 patents globally. Through the dedication of more than 50,000 colleagues in 75 countries, we will continue to innovate and shape the future of healthcare.

Atellica and all associated marks are trademarks of Siemens Healthcare Diagnostics Inc., or its affiliates. All other trademarks and brands are the property of their respective owners.

Product availability may vary from country to country and is subject to varying regulatory requirements. Please contact your local representative for availability.

## Siemens Healthineers Headquarters

Siemens Healthcare GmbH Henkestr. 127 91052 Erlangen, Germany Phone: +49 9131 84-0 siemens-healthineers.com

## Legal Manufacturer

Siemens Healthcare Diagnostics Inc. Laboratory Diagnostics 511 Benedict Avenue Tarrytown, NY 10591-5005 USA

Phone: +1 914-631-8000