SIEMENS



Transducers

ACUSON X300™ Ultrasound System, Premium Edition (PE) -Women's Imaging

Release 7.0

TABLE OF CONTENTS

TABLE OF CONTENTS	2
CH5-2 Transducer	3
C6-2 Transducer	3
C7F2 Transducer	2
P4-2 Transducer	2
VF8-3 Transducer	<u>5</u>
VF10-5 Transducer	⁵
VF13-5SP Transducer	6
VF13-5 Transducer	7
EV9-4 Transducer	7
EV9F4 Transducer	8
EC9-4 Transducer	



CH5-2 Transducer

1.4 – 5.0 MHz
ACUSON X300™ ultrasound system ACUSON X150™ ultrasound system SONOLINE G60 S™ ultrasound system SONOLINE G40™ ultrasound system
Abdomen, Early OB, Emergency Medicine, Fetal Echo, OB/GYN, Peripheral Vascular, Renal, Urology, Venous

- Design Attributes:

 Wide bandwidth curved array transducer

 Hanafy lens transducer technology

 User-selectable MultiHertz™ multiple frequency imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable



C6-2 Transducer

Frequency Bandwidth:	1.8 – 6.0 MHz
Compatible with:	ACUSON X500™ ultrasound system, SONOLINE G60 S ultrasound system, ACUSON CV70™ cardiovascular system,
Exam Types:	Abdomen, Aorta, Early OB, Fetal Echo, OB/GYN, Pediatric Abdomen, Pediatric Echo, Peripheral Vascular, Renal, Venous

- Design Attributes:

 Wide bandwidth curved array transducer

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable

 Curved Vector Format



C7F2 Transducer

Frequency Bandwidth:	1.9 – 6.4 MHz
Compatible with:	ACUSON X500 ultrasound system
Exam Types:	Abdomen, Early OB, Fetal Echo, OB/GYN

- Design Attributes:

 Wide bandwidth curved array transducer

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable

 Curved Vector Format



P4-2 Transducer

Frequency Bandwidth:	1.3 – 4.4 MHz
Compatible with:	ACUSON X300 ultrasound system ACUSON X150 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Abdomen, Adult Echo, Emergency Medicine, OB/GYN, Renal, Transcranial

- Design Attributes:

 Wide bandwidth phased array transducer

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable



VF8-3 Transducer

Frequency Bandwidth:	2.5 – 10.0 MHz
Compatible with:	ACUSON X300 ultrasound system
Exam Types:	Breast, Cerebrovascular, Emergency Medicine, Musculoskeletal, Orthopedic, Peripheral Vascular, Testicle, Thyroid, Venous

- Design Attributes:

 Wide bandwidth linear transducer

 Virtual format imaging

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable



VF10-5 Transducer

Frequency Bandwidth:	4.0 – 11.4 MHz
Compatible with:	ACUSON X300 ultrasound system ACUSON X150 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Breast, Cerebrovascular, Emergency Medicine, Musculoskeletal, Orthopedic, Peripheral Vascular, Testicle, Thyroid, Venous

- Design Attributes:

 Wide bandwidth linear transducer

 Virtual format imaging

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 2D beam steering

 Lightweight transducer with flexible cable



VF13-5SP Transducer

Frequency Bandwidth:	4.3 – 13.0 MHz
Compatible with:	ACUSON X300 ultrasound system ACUSON X500 ultrasound system ACUSON CV70 cardiovascular system SONOLINE G60 S ultrasound system SONOLINE G50™ ultrasound system SONOLINE Elegra™ ultrasound system
Exam Types:	Breast, Cerebrovascular, Intraoperative, Musculoskeletal, Superficial Musculoskeletal, Superficial Vascular, Testicle, Thyroid, Venous

- Design Attributes:

 Wide bandwidth linear transducer

 Virtual format imaging

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable



VF13-5 Transducer

Frequency Bandwidth:	4.4 – 13.0 MHz
Compatible with:	ACUSON X300 ultrasound system ACUSON X150 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Breast, Cerebrovascular, Digital, Emergency Medicine, Musculoskeletal, Superficial Musculoskeletal, Penile, Superficial Vascular, Testicle, Thyroid, Venous

- Design Attributes:

 Wide bandwidth linear transducer

 Virtual format imaging

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable



EV9-4 Transducer

2.9 – 9.7 MHz
ACUSON X300 ultrasound system ACUSON X150 ultrasound system SONOLINE G40 ultrasound system
Early OB, Emergency Medicine, OB/GYN

- Design Attributes:
 Wide bandwidth endovaginal transducer
 User-selectable MultiHertz imaging
 Lightweight transducer with flexible cable



EV9F4 Transducer

equency Bandwidth:	2.9 – 9.0 MHz
am Types:	Early OB, OB/GYN

- Design Attributes:

 Wide bandwidth endovaginal volume transducer

 User-selectable MultiHertz imaging

 Lightweight transducer with flexible cable

 Curved Vector Format



EC9-4 Transducer

Frequency Bandwidth:	2.9 – 9.8 MHz
Compatible with:	ACUSON X300 ultrasound system ACUSON X150 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Early OB, OB/GYN, Urology

- Design Attributes:

 User-selectable MultiHertz imaging

 Ergonomically designed form factor

 Lightweight transducer with flexible cable

Frequency Bandwidth measurements represent bandwidth at +/-20 dB.

128XP/10C, ACUSON, AcuNav, Aspen, CV70, Cypress, Elegra, G40, G50, G60 S, MultiHertz, S2000, Sequoia, SONOLINE, SwiftLink, X150, X300 and X500 are trademarks of Siemens Medical Solutions USA, Inc.

DS 0711 | © 07.2011, Siemens Medical Solutions USA, Inc.

Global Siemens Headquarters Siemens AG Wittelsbacherplatz 2 80333 Muenchen Germany Global Siemens Healthcare Headquarters

Siemens AG Healthcare Sector Henkestrasse 127 91052 Erlangen Telephone: +49 9131 84-0

Germany

www.siemens.com/healthcare

Legal Manufacturer

Siemens Medical Solutions USA, Inc. Ultrasound 22010 S.E. 51st Street Issaquah, WA 98029, USA Phone: 1-888-826-9702 siemens-healthineers.com/ultrasound